

|          |       | 観測孔<br>設置直後<br>(雨) | 密閉前<br>(晴) | 密閉後<br>(晴) | 密閉前<br>(雨) | 密閉後<br>(晴) | 密閉前<br>(曇) | 密閉後<br>(雨) | 密閉前<br>(曇) | 密閉後<br>(曇) | 密閉前<br>(晴) | 密閉後<br>(晴) | 密閉前<br>(晴) | 密閉後<br>(晴) | 密閉前<br>(曇) | 密閉後<br>(晴) | 密閉前<br>(曇) | 密閉後<br>(雨) | 密閉前<br>(曇) | 密閉後<br>(雨) | 密閉前<br>(晴) | 密閉後<br>(晴) | 密閉前<br>(曇) | 密閉後<br>(晴) | 密閉前<br>(晴) | 密閉後<br>(晴) | 密閉前<br>(曇) | 密閉後<br>(晴) | 密閉前<br>(晴) | 密閉後<br>(晴) | 密閉前<br>(曇) | 密閉後<br>(晴) | 密閉前<br>(曇) | 密閉後<br>(雨) | 密閉前<br>(曇) | 密閉後<br>(曇) | 密閉前<br>(曇) | 密閉後<br>(曇) |      |
|----------|-------|--------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------|
| 観測孔<br>A | 計測日   |                    | H23.4.18   | H23.4.25   | H23.4.26   | H23.5.12   | H23.5.13   | H23.5.26   | H23.5.27   | H23.6.9    | H23.6.10   | H23.6.23   | H23.6.24   | H23.7.13   | H23.7.14   | H24.7.18   | H24.7.19   | H24.10.11  | H24.10.12  | H25.2.14   | H25.2.15   | H25.3.4    | H25.3.5    | H25.7.31   | H25.8.1    | H25.10.31  | H25.11.1   | H26.2.13   | H26.2.14   | H26.7.17   | H26.7.18   | H26.10.14  | H26.10.15  | H27.2.19   | H27.2.20   | H27.9.30   | H27.10.1   | H27.11.17  |      |
|          | 計測時刻  |                    |            | 9:40       | 10:00      | 9:10       | 9:05       | 9:35       | 9:30       | 8:50       | 8:45       | 9:50       | 8:45       | 8:35       | 10:05      | 10:00      | 9:50       | 9:40       | 10:15      | 10:15      | 10:00      | 8:50       | 9:20       | 13:20      | 14:35      | 9:50       | 9:30       | 10:45      | 10:05      | 9:35       | 9:36       | 13:44      | 14:08      | 9:40       | 9:45       | 10:55      | 10:15      | 10:13      |      |
|          | メタン   | Vol%               | 52.0       | 65.0       | 67.0       | 69.0       | 58.0       | 37.0       | 81.0       | 2.50       | 81.0       | 51.0       | 67.0       | 72.0       | 70.0       | 3.40       | 12.0       | 47.0       | 81.0       | 0.00       | 0.00       | 82.0       | 85.0       | 75.0       | 69.0       | 36.0       | 82.0       | 67.0       | 79.0       | 67.0       | 81.0       | 67.0       | 82.0       | 67.0       | 72.0       | 69.0       | 75.0       | 63.0       |      |
|          | 酸素    | %                  | 8.10       | 3.60       | 4.10       | 2.20       | 4.30       | 9.10       | 0.00       | 20.6       | 1.40       | 9.00       | 5.30       | 2.00       | 2.30       | 20.5       | 15.1       | 8.70       | 0.70       | 20.5       | 15.5       | 2.20       | 1.60       | 7.70       | 0.20       | 11.6       | 0.00       | 4.50       | 2.30       | 3.30       | 0.00       | 2.70       | 0.00       | 2.50       | 0.30       | 1.40       | 0.00       | 2.80       |      |
|          | 一酸化炭素 | ppm                | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       |      |
|          | 硫化水素  | ppm                | 43.5       | 55.5       | 65.5       | 80.5       | 63.5       | 22.5       | >100       | 0.00       | >100       | >100       | >100       | >100       | >100       | 0.00       | >100       | 69.5       | 0.50       | 0.00       | 0.00       | >100       | >100       | >100       | >100       | 36.5       | >100       | >100       | >100       | 61.5       | >100       | 97.0       | 92.0       | 39.5       | 45.5       | 21.5       | 27.0       | 6.50       |      |
|          | 流量    | l/h                |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            | 44.1       | 44.5       | 43.0       |      |
| 観測孔<br>B | 計測日   |                    | H23.4.18   | H23.4.25   | H23.4.26   | H23.5.12   | H23.5.13   | H23.5.26   | H23.5.27   | H23.6.9    | H23.6.10   | H23.6.23   | H23.6.24   | H23.7.13   | H23.7.14   | H24.7.18   | H24.7.19   | H24.10.11  | H24.10.12  | H25.2.14   | H25.2.15   | H25.3.4    | H25.3.5    | H25.7.31   | H25.8.1    | H25.10.31  | H25.11.1   | H26.2.13   | H26.2.14   | H26.7.17   | H26.7.18   | H26.10.14  | H26.10.15  | H27.2.19   | H27.2.20   | H27.9.30   | H27.10.1   | H27.11.17  |      |
|          | 計測時刻  |                    | 洗浄後        | 9:50       | 11:05      | 9:30       | 8:40       | 9:10       | 9:00       | 8:30       | 8:25       | 9:30       | 8:30       | 8:25       | 11:40      | 10:25      | 10:15      | 9:25       | 9:35       | 9:35       | 9:35       | 10:10      | 9:55       | 13:50      | 14:15      | 9:25       | 9:20       | 10:20      | 9:35       | 9:20       | 9:42       | 13:25      | 13:48      | 9:20       | 9:30       | 10:00      | 9:40       | 9:30       |      |
|          | メタン   | Vol%               | 0.90       | 0.00       | 8.00       | 0.90       | 0.60       | 0.20       | 7.00       | 0.00       | 4.30       | 0.60       | 3.90       | 1.00       | 0.90       | 0.00       | 0.10       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.20       | 0.00       | 0.00       | 0.00       | 3.00       | 0.00       | 0.50       | 0.00       | 0.10       | 0.00       |      |
|          | 酸素    | %                  | 20.9       | 20.9       | 16.6       | 20.6       | 20.7       | 20.9       | 17.8       | 20.9       | 19.2       | 20.6       | 19.2       | 20.9       | 20.5       | 20.9       | 20.9       | 20.9       | 20.9       | 20.9       | 20.9       | 20.9       | 20.9       | 20.5       | 20.0       | 20.9       | 20.9       | 20.9       | 20.9       | 20.7       | 20.5       | 20.9       | 19.3       | 20.9       | 20.9       | 20.5       | 14.9       | 0.00       |      |
|          | 一酸化炭素 | ppm                | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 5.00       | 0.00       |            |      |
|          | 硫化水素  | ppm                | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       |      |
|          | 流量    | l/h                |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            | 0.09       | 0.18       | 0.14       |      |
| 観測孔<br>C | 計測日   |                    | H23.4.18   | H23.4.25   | H23.4.26   | H23.5.12   | H23.5.13   | H23.5.26   | H23.5.27   | H23.6.9    | H23.6.10   | H23.6.23   | H23.6.24   | H23.7.13   | H23.7.14   | H24.7.18   | H24.7.19   | H24.10.11  | H24.10.12  | H25.2.14   | H25.2.15   | H25.3.4    | H25.3.5    | H25.7.31   | H25.8.1    | H25.10.31  | H25.11.1   | H26.2.13   | H26.2.14   | H26.7.17   | H26.7.18   | H26.10.14  | H26.10.15  | H27.2.19   | H27.2.20   | H27.9.30   | H27.10.1   | H27.11.17  |      |
|          | 計測時刻  |                    |            | 9:45       | 10:05      | 9:40       | 9:20       | 9:25       | 9:20       | 8:45       | 8:40       | 9:45       | 8:50       | 8:40       | 9:50       | 10:05      | 10:00      | 9:45       | 10:00      | 10:05      | 10:10      | 10:00      | 9:30       | 13:30      | 14:40      | 9:55       | 9:00       | 10:35      | 9:55       | 9:28       | 9:24       | 13:40      | 14:00      | 9:34       | 9:35       | 10:25      | 10:00      | 10:03      |      |
|          | メタン   | Vol%               | 1.05       | 0.50       | 3.10       | 0.40       | 0.00       | 0.00       | 1.10       | 0.00       | 0.80       | 0.50       | 0.80       | 0.10       | 0.30       | 0.00       | 0.20       | 0.00       | 0.00       | 0.00       | 0.10       | 0.00       | 0.70       | 0.00       | 1.60       | 0.00       | 0.65       | 0.00       | 0.60       | 0.10       | 0.40       | 0.00       | 0.70       | 0.00       | 0.10       | 0.00       | 0.20       | 3.60       |      |
|          | 酸素    | %                  | 19.7       | 20.9       | 18.8       | 20.9       | 20.9       | 20.9       | 20.9       | 20.9       | 20.9       | 20.9       | 20.9       | 20.9       | 20.6       | 20.9       | 20.9       | 20.9       | 20.9       | 20.9       | 20.9       | 20.9       | 20.9       | 20.6       | 19.4       | 20.9       | 20.9       | 20.9       | 20.9       | 20.6       | 18.2       | 16.0       | 20.9       | 17.0       | 20.9       | 20.4       | 20.7       | 17.5       | 19.8 |
|          | 一酸化炭素 | ppm                | 25.00      | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       |      |
|          | 硫化水素  | ppm                | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       |      |
|          | 流量    | l/h                |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            | 0.18       | 0.72       | 1.63       |      |
| 観測孔<br>D | 計測日   |                    | H23.4.18   | H23.4.25   | H23.4.26   | H23.5.12   | H23.5.13   | H23.5.26   | H23.       |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |            |      |



|         |       | 密閉後<br>(晴) | 密閉前<br>(曇) | 密閉後<br>(晴) | 密閉前<br>(曇) | 密閉後<br>(曇) | 密閉前<br>(晴) | 密閉後<br>(晴) | 密閉前<br>(曇) | 密閉後<br>(晴) | 密閉前<br>(晴) | 密閉後<br>(晴) | 密閉前<br>(晴) | 密閉後<br>(晴) | 密閉前<br>(晴) | 密閉後<br>(晴) | 密閉前<br>(曇) | 密閉後<br>(曇) |       |      |
|---------|-------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|-------|------|
| 観測孔 A   | 計測日   | R4.8.23    | R4.11.14   | R4.11.15   | R5.2.14    | R5.2.15    | R5.8.21    | R5.8.22    | R5.11.15   | R5.11.16   | R6.2.6     | R6.2.7     | R6.8.22    | R6.8.23    | R6.11.21   | R6.11.22   | R7.2.3     | R7.2.4     |       |      |
|         | 計測時刻  | 10:00      | 9:40       | 9:10       | 9:30       | 9:30       | 10:46      | 11:00      | 11:07      | 10:31      | 10:56      | 10:46      | 12:33      | 10:05      | 11:21      | 10:31      | 10:49      | 10:17      |       |      |
|         | メタン   | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       |       |      |
|         | 酸素    | 20.2       | 20.9       | 20.9       | 20.9       | 20.9       | 20.0       | 19.4       | 21.0       | 21.0       | 21.0       | 21.0       | 20.9       | 20.9       | 20.9       | 20.9       | 20.0       | 20.1       |       |      |
|         | 一酸化炭素 | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       |       |      |
|         | 硫化水素  | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       |       |      |
|         | 流量    | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.45       | 0.00       | 0.00       | 0.00       | 0.00       |       |      |
| 観測孔 B   | 計測日   | R4.8.23    | R4.11.14   | R4.11.15   | R5.2.14    | R5.2.15    | R5.8.21    | R5.8.22    | R5.11.15   | R5.11.16   | R6.2.6     | R6.2.7     | R6.8.22    | R6.8.23    | R6.11.21   | R6.11.22   | R7.2.3     | R7.2.4     |       |      |
|         | 計測時刻  | 10:53      | 10:15      | 9:52       | 10:12      | 10:22      | 11:34      | 11:38      | 11:47      | 11:17      | 11:33      | 11:41      | 10:25      | 11:30      | 12:41      | 12:05      | 13:30      | 13:30      |       |      |
|         | メタン   | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       |       |      |
|         | 酸素    | 19.7       | 20.9       | 20.8       | 20.9       | 20.9       | 21.0       | 19.0       | 21.0       | 20.0       | 21.0       | 20.2       | 15.5       | 18.1       | 20.9       | 20.5       | 19.4       | 20.9       |       |      |
|         | 一酸化炭素 | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 2.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       |       |      |
|         | 硫化水素  | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       |       |      |
|         | 流量    | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.36       | 0.00       | 0.00       | 0.00       | 0.00       |       |      |
| 観測孔 C   | 計測日   | R4.8.23    | R4.11.14   | R4.11.15   | R5.2.14    | R5.2.15    | R5.8.21    | R5.8.22    | R5.11.15   | R5.11.16   | R6.2.6     | R6.2.7     | R6.8.22    | R6.8.23    | R6.11.21   | R6.11.22   | R7.2.4     | R7.2.5     |       |      |
|         | 計測時刻  | 10:15      | 9:45       | 9:25       | 9:40       | 9:42       | 10:35      | 10:54      | 10:44      | 10:24      | 10:37      | 10:11      | 13:00      | 9:45       | 11:03      | 10:15      | 8:24       | 10:15      |       |      |
|         | メタン   | 59.0       | 0.00       | 0.00       | 0.90       | 62.0       | 0.00       | 0.40       | 0.00       | 0.10       | 0.85       | 69.0       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 3.00       |       |      |
|         | 酸素    | 3.50       | 20.9       | 19.7       | 20.9       | 7.00       | 20.0       | 15.0       | 21.0       | 21.0       | 6.30       | 18.8       | 17.9       | 20.9       | 20.8       | 20.3       | 20.5       |            |       |      |
|         | 一酸化炭素 | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 2.00       | 0.00       | 0.00       | 1.00       | 120        | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       |       |      |
|         | 硫化水素  | 30.0       | 0.00       | 0.00       | 5.90       | >30        | 0.00       | 0.00       | 0.00       | 0.00       | 5.20       | 146        | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       |       |      |
|         | 流量    | 11.9       | 3.26       | 2.26       | 1.54       | 9.06       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 1.58       | 1.90       | 0.00       | 0.45       | 0.00       |       |      |
| 観測孔 D   | 計測日   | R4.8.23    | R4.11.14   | R4.11.15   | R5.2.14    | R5.2.15    | R5.8.21    | R5.8.22    | R5.11.15   | R5.11.16   | R6.2.6     | R6.2.7     | R6.8.22    | R6.8.23    | R6.11.21   | R6.11.22   | R7.2.3     | R7.2.4     |       |      |
|         | 計測時刻  | 11:08      | 10:25      | 10:03      | 10:21      | 10:30      | 11:09      | 11:21      | 11:35      | 10:58      | 11:13      | 11:20      | 11:00      | 10:50      | 12:13      | 11:56      | 13:20      | 13:20      |       |      |
|         | メタン   | 11.0       | 0.30       | 13.0       | 0.35       | 16.0       | 0.50       | 0.75       | 0.15       | 0.65       | 1.20       | 17.0       | 0.00       | 0.00       | 0.20       | 1.10       | 1.35       | 13.0       |       |      |
|         | 酸素    | 1.90       | 20.9       | 8.20       | 20.9       | 14.1       | 14.7       | 6.00       | 21.0       | 18.1       | 20.4       | 10.0       | 14.6       | 7.20       | 20.3       | 12.5       | 19.0       | 13.8       |       |      |
|         | 一酸化炭素 | 17.0       | 0.00       | 0.00       | 0.00       | 0.00       | 3.00       | 4.00       | 0.00       | 0.00       | 2.00       | 40.0       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.0        |       |      |
|         | 硫化水素  | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       |       |      |
|         | 流量    | 0.68       | 0.18       | 0.36       | 0.36       | 0.14       | 0.00       | 0.00       | 0.00       | 0.02       | 0.00       | 0.00       | 0.36       | 0.23       | 0.23       | 0.00       | 0.68       | 2.35       |       |      |
| 観測孔 E   | 計測日   | R4.8.23    | R4.11.14   | R4.11.15   | R5.2.14    | R5.2.15    | R5.8.21    | R5.8.22    | R5.11.15   | R5.11.16   | R6.2.6     | R6.2.7     | R6.8.22    | R6.8.23    | R6.11.21   | R6.11.22   | R7.2.3     | R7.2.4     |       |      |
|         | 計測時刻  | 11:00      | 10:20      | 9:58       | 10:16      | 10:25      | 11:22      | 11:28      | 11:43      | 11:06      | 11:21      | 11:25      | 11:51      | 11:10      | 測定不可       |            |            | 14:30      | 12:15 |      |
|         | メタン   | 14.0       | 0.45       | 12.0       | 0.25       | 10.0       | 0.00       | 0.05       | 0.45       | 4.30       | 0.65       | 8.30       | 0.00       | 0.00       |            |            |            |            | 0.00  | 1.55 |
|         | 酸素    | 1.30       | 20.9       | 16.0       | 20.9       | 18.2       | 20.5       | 18.6       | 21.0       | 18.1       | 20.4       | 10.0       | 17.2       | 19.9       |            |            |            |            | 18.7  | 19.6 |
|         | 一酸化炭素 | 28.0       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 2.00       | 0.00       | 0.00       | 2.00       | 2.00       | 0.00       | 0.00       |            |            |            |            | 0.00  | 0.00 |
|         | 硫化水素  | 0.00       | 3.00       | 1.30       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       |            |            |            |            | 0.00  | 0.00 |
|         | 流量    | 2.63       | 0.18       | 0.45       | 0.14       | 1.27       | 0.00       | 0.00       | 0.00       | 8.85       | 0.00       | 6.45       | 0.00       | 0.00       |            |            |            |            | 0.00  | 0.23 |
| 観測孔 F   | 計測日   | R4.8.23    | R4.11.14   | R4.11.15   | R5.2.14    | R5.2.15    | R5.8.21    | R5.8.22    | R5.11.15   | R5.11.16   | R6.2.6     | R6.2.7     | R6.8.22    | R6.8.23    | R6.12.10   | R6.12.11   | R7.2.3     | R7.2.4     |       |      |
|         | 計測時刻  | 10:42      | 10:05      | 9:45       | 10:05      | 10:12      | 11:38      | 11:42      | 11:57      | 11:31      | 11:37      | 11:45      | 12:00      | 13:00      | 13:00      | 12:15      | 14:04      | 12:00      |       |      |
|         | メタン   | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.20       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.05       |       |      |
|         | 酸素    | 20.7       | 20.9       | 20.9       | 20.9       | 20.9       | 21.0       | 21.0       | 21.0       | 20.3       | 21.0       | 20.5       | 17.8       | 20.9       | 20.9       | 20.9       | 19.8       | 20.3       |       |      |
|         | 一酸化炭素 | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       |       |      |
|         | 硫化水素  | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       |       |      |
|         | 流量    | 0.23       | 0.00       | 0.00       | 0.23       | 0.14       | 0.00       | 0.10       | 0.00       | 0.29       | 0.00       | 0.00       | 0.00       | 0.00       | 2.36       | 0.00       | 0.00       | 0.00       |       |      |
| 観測孔 G   | 計測日   | R4.8.23    | R4.11.14   | R4.11.15   | R5.2.14    | R5.2.15    | R5.8.21    | R5.8.22    | R5.11.15   | R5.11.16   | R6.2.6     | R6.2.7     | R6.8.22    | R6.8.23    | R6.11.21   | R6.11.22   | R7.2.3     | R7.2.4     |       |      |
|         | 計測時刻  | 10:35      | 10:00      | 9:35       | 10:00      | 10:06      | 10:59      | 11:13      | 11:29      | 10:46      | 11:08      | 11:04      | 9:53       | 10:30      | 11:59      | 11:45      | 13:00      | 13:00      |       |      |
|         | メタン   | 3.45       | 0.00       | 0.35       | 0.00       | 0.95       | 2.30       | 3.45       | 0.00       | 5.50       | 0.00       | 41.0       | 0.70       | 1.85       | 7.00       | 43.0       | 0.75       | 24.0       |       |      |
|         | 酸素    | 6.40       | 20.9       | 18.3       | 20.9       | 20.2       | 19.6       | 12.0       | 21.0       | 16.4       | 21.0       | 9.50       | 15.6       | 13.9       | 19.2       | 8.00       | 19.6       | 14.8       |       |      |
|         | 一酸化炭素 | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 3.00       | 3.00       | 0.00       | 0.00       | 0.00       | 7.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       |       |      |
|         | 硫化水素  | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       |       |      |
|         | 流量    | 1.59       | 0.00       | 0.23       | 0.00       | 0.59       | 0.00       | 0.00       | 0.00       | 4.77       | 0.00       | 2.77       | 0.36       | 0.54       | 1.45       | 7.70       | 0.00       | 0.00       |       |      |
| 観測孔 H   | 計測日   | R4.8.23    | R4.11.14   | R4.11.15   | R5.2.14    | R5.2.15    | R5.8.21    | R5.8.22    | R5.11.15   | R5.11.16   | R6.2.6     | R6.2.7     | R6.8.22    | R6.8.23    | R6.11.21   | R6.11.22   | R7.2.3     | R6.2.7     |       |      |
|         | 計測時刻  | 9:52       | 9:30       | 9:07       | 9:50       | 9:57       | 10:25      | 10:47      | 10:33      | 10:18      | 10:32      | 10:04      | 13:30      | 9:35       | 10:47      | 10:02      | 10:24      | 10:00      |       |      |
|         | メタン   | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       |       |      |
|         | 酸素    | 17.8       | 20.9       | 18.6       | 20.9       | 20.9       | 21.0       | 18.6       | 21.0       | 21.0       | 21.0       | 21.0       | 20.9       | 20.9       | 20.9       | 20.9       | 20.1       | 20.0       |       |      |
|         | 一酸化炭素 | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       |       |      |
|         | 硫化水素  | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       |       |      |
|         | 流量    | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       |       |      |
| 観測孔 A 1 | 計測日   | R4.8.23    | R4.11.14   | R4.11.15   | R5.2.14    | R5.2.15    | R5.8.21    | R5.8.22    | R5.11.15   | R5.11.16   | R6.2.6     | R6.2.7     | R6.8.22    | R6.8.23    | R6.11.21   | R6.11.22   | R7.2.3     | R7.2.4     |       |      |
|         | 計測時刻  | 10:04      | 9:35       | 9:15       | 9:35       | 9:35       | 10:50      | 11:05      | 11:03      | 10:28      | 10:49      | 10:41      | 12:45      | 10:00      | 11:35      | 10:35      | 11:05      | 10:25      |       |      |
|         | メタン   | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.25       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       |       |      |
|         | 酸素    | 20.3       | 20.9       | 20.9       | 20.9       | 20.9       | 20.0       | 20.0       | 21.0       | 21.0       | 21.0       | 21.0       | 20.9       | 19.6       | 20.8       | 20.9       | 20.0       | 20.3       |       |      |
|         | 一酸化炭素 | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.00       | 0.         |       |      |