"Osaka Model" Revised Version

July 3, 2020

Department of Public Health and Medical Affairs

"Osaka Model" Revised Version

<Basic concept>

- Setting Osaka's own monitoring points, monitoring them and visualizing the current status to judge the infection spread situation
- Setting caution criteria for each monitoring point to judge "signs of the infection spread" and "situation of infection containment", and informing the residents of the situation according to the status of each standard.

<Monitoring points and criteria of turning on/off of the lights>

- 1. The criteria of lighting yellow (raising awareness) have been changed, and the yellow light has come to express "warning." This has been decided based on the positive results of responses to clusters, efforts to secure hospital beds when the infection was spreading, and the fact that residents are accustomed to a "new lifestyle."
- 2. "The state of emergency (red)"guidelines have been newly set up, to inform residents that there is a possibility of infection spread that will not be covered by the expected number of hospital beds.
- **3.** Each guideline is being monitored and visualized on a daily basis to catch the situation of infection occurrence. With or without "warning" (yellow light), measures such as securing hospital beds are swiftly taken in accordance with the situation
- **4.** Even when the "warning (yellow light)" is off, awareness-raising measures are taken to the residents in response to the infection occurrence situation.
- **5.** When lifting the state of emergency, etc., green light (lifting) is lit for certain period and turned off

<Criteria of lighting>

When <u>all of the monitoring guidelines are met:</u> Warning: <u>yellow</u> State of emergency: <u>red</u>

Lifting of Warning/State of emergency: **green** (turned off after being lighted for a certain period)

Revised Points

<revision (1) >

-Shift the criteria of "request for self-restraint/lifting of self-restraint" to the criteria of "Warning/a state of emergency/lifting of a state of emergency" to residents

< revision (2) >

- -Set the monitoring point ①"The increasing rate of cases with unknown transmission route from the previous week" as the combination with ② "The number of cases with unknown transmission route"
- -Raise the criteria of monitoring points ① and ② to "2 or more" and "10 and more" respectively to ensure early detection of "a sign of infection spread" when there is no surge in number of infections

< revision (3) >

- -Replace the criterion of monitoring point ③ "Positive rate at the first PCR test" with "Total number of new positive cases for 7 days"
- -Ensure early detection of "sign of infection spread," by setting the criterion as "120 persons or more as well as the half and more of them occur in the latter 3 days"

< revision (4) >

-Set the monitoring point for "lifting" to the residents as "new positive cases per 100,000 persons for the last 1 week should be less than 0.5," which is one of the lifting criteria shown by the national government.


< revision (5) >

- -Set the monitoring point of "a state of emergency" to the residents as the "Occupancy rate of hospital beds for severe symptom patients."
- -Set the criterion for the above as "the case when the rate reaches over 70% within 25 days counting from the day the "Warning" (yellow light) was turned on

< revision (6) >

- -Continue daily monitoring, referring to the "positive rate at the first PCR test"
- -Continue daily monitoring, referring to the ratio of cases with unknown transmission route (the number of unknown transmission route /total number of new positive cases)


Revised "Osaka Model" Monitoring Points and Criteria (Draft)




<Things to be taken into account>

- Owner with the condition shown by the national government (2 new positive cases per 100,000 persons for the last 1 week) is met, Osaka coronavirus control headquarters will decide if the Warning (yellow) light should be turned on or not. This is because the early detection of "sign of infection spread" might be delayed due to the ease of the caution criteria.
- O If the national government declares a state of emergency, the Osaka coronavirus control headquarters meeting will decide if "a state of emergency (red)" light should be turned on or not.


Monitoring Point ① Increasing rate of 7 day- moving average of cases with unknown transmission route in the new positive cases from the previous week ② 7 day- moving average of cases with unknown transmission route




Monitoring Point 3 Total number of new positive cases for 7 days



Monitoring Point 4 Number of new positive cases per 100,000 persons for the last 1 week




Monitoring Point 5 Occupancy rate of hospital beds for severe symptom patients




[Reference] Monitoring Point 5 Occupancy rate of hospital beds for severe symptom patients

- -Partly revised from the Osaka coronavirus control headquarters material issued on June 12, 2020
- -Provisional number of hospitalized patients was calculated by applying situation of infection cases in Osaka (starting on March 27) to the spread situation in Tokyo



Expected occupancy rate of hospital beds is to be surpass 70% after 25 days from the day when the caution criterion was met, but not to be surpass 100%.

[Reference] Monitoring Point 6 Positive rate at the first PCR test



The ratio of cases with unknown transmission route in the new positive cases

